

K7ECU10FF

ELECTRIC RANGE 4 PLATES + ELECTRIC OVEN 2/1 GN



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges. Double-skinned moulded oven door and AISI 304 elliptical cross-section designed handle.

Heating obtained through **cast iron round electric plates**. Heating elements fixed on the plate bottom, embedded in a layer of insulating material. Each hotplate is provided with a selector, which enables the variation of the heat output **from maximum to minimum in seven positions**. Safety ensured by a temperature limit-switch situated inside the hotplate.

AISI 304 moulded work surface presenting a reverse drawing for perfect lodging the electric plates, easy cleaning and avoiding liquid damaging electric parts. Stainless steel AISI 304 front panel.

Electric static oven 2/1 GN suitable for 2/1 GN trays. Stainless steel AISI 430 oven cooking chamber and thick stainless steel oven floor. Stainless steel removable oven grill.

Insulation of the cooking chamber and of the oven door ensured by a layer of high temperature resistant ceramic fibre.

Heating obtained through **heating elements placed under the bottom and on the top of the cooking chamber**. Equipped with a thermostat that adjusts the temperature between 90°C and 300°C. Possibility to select different types of heating: from below only, from above only or both from below and above through a selector.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Height-adjustable stainless steel legs.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 800 mm
Depth: 700 mm
Height: 850 mm
Weight: 111 kg
Volume: 0.80 m³
Electrical power: 15.80 kW




K7ECU10FF

CUCINA 4 PIASTRE ELETTRICHE + FORNO ELETTRICO 2/1 GN / FOURNEAU ELECTRIQUE 4 PLAQUES + FOUR ELECTRIQUE 2/1 GN / ELECTRIC RANGE 4 PLATES + ELECTRIC OVEN 2/1 GN / ELEKTROHERD 4 KOCHPLATTEN + ELEKTROBACKOFEN 2/1 GN / COCINA ELÉCTRICA 4 PLACAS + HORNO ELÉCTRICO 2/1 GN / ЭЛЕКТРИЧЕСКАЯ ПЛИТА С 4 КОНФОРКАМИ + ЭЛЕКТРИЧЕСКАЯ ДУХОВКА 2/1 GN

DATI TECNICI / CARACTERISTIQUES TECHNIQUES / TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Dimensioni / Dimensions / Dimensions / Maße / Medidas / Размеры	[мм]	800x700x850
Potenza elettrica / Puissance électrique / Electric Power / Elektro-Leistung / электр. (E)	[Kw] - [кВт]	15,8
(F)	[V]	400/3N
(G)	[Hz] - [Гц]	50/60
Cavo (non fornito in dotazione) / Cable (non fourni) / Cable (not supplied) / Kabel (nicht mitgeliefert) / Cable / Кабель	H07 RN-F [мм²]	5 x 6
Voltaggi diversi e versioni navali disponibili su richiesta / Différentes tensions et versions maritimes disponibles sur demande / Different voltages and marine versions available on request / Verschiedene Spannungen und Schiffsausführungen auf Anfrage erhältlich / Различные напряжения и варианты исполнения корабля - по запросу		
Piastra / Plaque / Plate / Platte / Пласа / Конф. эл.	[Kw] - [кВт]	4 x 2,6
Forno / Four / Oven / Ofen / Horno / Духовка эл.	[Kw] - [кВт]	1 x 5,4

2,6 kw Ø 23 cm	2,6 kw Ø 23 cm
2,6 kw Ø 23 cm	2,6 kw Ø 23 cm
5,4 kw	



E= elettrico \ électrique \ electric \ Elektrisch \ eléctrico \ электрич

Standard

n. 1 x Griglia forno in dotazione / Grille du four fournie / Oven grill included / Backofengrill mitgeliefert / Grill para el horno incluido /

Optional

n.1x **K7A25019** Applicazione suola in ghisa - Sole en fonte - Built-in cast iron bottom - Sohle aus Gusseisen - Opción base en fierro fundido - Дополнение подложка из чугуна для плиты