

K7ECU15FV

ELECTRIC RANGE 6 PLATES + ELECTRIC VENTILATED OVEN 1/1 GN + OPEN CABINET



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges. Double-skinned moulded oven door and AISI 304 elliptical cross-section designed handle.

Heating obtained through **cast iron round electric plates**. Heating elements fixed on the plate bottom, embedded in a layer of insulating material. Each hotplate is provided with a selector, which enables the variation of the heat output **from maximum to minimum in seven positions**. Safety ensured by a temperature limit-switch situated inside the hotplate.

AISI 304 moulded work surface presenting a reverse drawing for perfect lodging the electric plates, easy cleaning and avoiding liquid damaging electric parts. Stainless steel AISI 304 front panel.

Electric ventilated oven 1/1 GN and open cabinet. Oven floor made of made of a thick steel sheet strengthened by a series of ribs. Oven stainless steel removable grill.

Insulation of the cooking chamber and of the oven door ensured by a layer of high temperature resistant ceramic fibre.

Heating obtained through special **stainless steel heating elements resistant to high temperatures, placed under the bottom and on the top of the cooking chamber**. Air movement guaranteed by a **stainless steel fan** driven by a powerful electric motor. Equipped with a thermostat that adjusts the temperature between 90°C and 300°C. Safety thermostat with manual reset against overheating. Possibility to select different types of heating both static and ventilated, both heating from below and grill type, or complete heating. Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Height-adjustable stainless steel legs.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 1200 mm

Depth: 700 mm

Height: 850 mm

Weight: 133 kg

Volume: 1.15 m³

Electrical power: 19.25 kW




K7ECU15FV

CUCINA 6 PIASTRE ELETTRICHE + FORNO ELETTRICO VENTILATO 1/1 GN + VANO APERTO / FOURNEAU ELECTRIQUE 6 PLAQUES + FOUR ELECTRIQUE VENTILE 1/1GN + BAIE LIBRE / ELECTRIC RANGE 6 PLATES + ELECTRIC VENTILATED OVEN 1/1 GN + OPEN CABINET / ELEKTROHERD 6 KOCHPLATTEN + ELEKTROBACKOFEN MIT UMLUFT 1/1 GN + OFFENER UNTERSCHRANK / COCINA ELECTRICA 6 PLACAS + HORNO ELECTRICO VENTILADO 1/1 GN + BASE ABIERTA / ЭЛЕКТРИЧЕСКАЯ ПЛИТА С 6 КОНФОРКАМИ + ЭЛЕКТРИЧЕСКАЯ ДУХОВКА С КОНВЕКЦИЕЙ 1/1 GN + ОТКРЫТЫЙ ШКАФ

DATI TECNICI / CARACTERISTIQUES TECHNIQUES / TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Dimensioni / Dimensions / Dimensions / Maße / Medidas / Размеры	[мм]	1200x700x850
Potenza elettrica / Puissance électrique / Electric Power / Elektro-Leistung / электр. (E)	[Kw] - [кВт]	19,25
(F)	[V]	400/3N
(G)	[Hz] - [Гц]	50/60
Cavo (non fornito in dotazione) / Cable (non fourni) / Cable (not supplied) / Kabel (nicht mitgeliefert) / Cable / Кабель	H07 RN-F [мм2]	5 x 6
Voltaggi diversi e versioni navali disponibili su richiesta / Différentes tensions et versions maritimes disponibles sur demande / Different voltages and marine versions available on request / Verschiedene Spannungen und Schiffsausführungen auf Anfrage erhältlich / Различные напряжения и варианты исполнения корабля - по запросу		
Piastra / Plaque / Plate / Platte / Пласа / Конф. эл.	[Kw] - [кВт]	6 x 2,6
Forno / Four / Oven / Ofen / Horno / Духовка эл.	[Kw] - [кВт]	1 x 3,65

2,6 kw Ø 23 cm	2,6 kw Ø 23 cm	2,6 kw Ø 23 cm
2,6 kw Ø 23 cm	2,6 kw Ø 23 cm	2,6 kw Ø 23 cm
	3,65 kw	



E= elettrico \ électrique \ electric\ Elektrisch \ eléctrico \ электрич

Standard

n. 1 x Griglia forno in dotazione / Grille du four fournie / Oven grill included / Backofengrill mitgeliefert / Grill para el horno incluido /

Optional

n.1x **K7A25029** Applicazione suola in ghisa - Sole en fonte - Built-in cast iron bottom - Sohle aus Gusseisen - Opción base en fierro fundido - Дополнение подложка из чугуна для плиты

n.1 x **K7PORTA** Porta / Porte / Door / Tür / Puerta / Дверца