

# K7GCUP05TT

TOP GAS RANGE 2 BURNERS - PERFORMANCE LINE



## PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs.

Heating obtained through **watertight, superposed crown stabilized flame burners** with different power ratings (**6,2 kw and 8,5 kw**). Each burner provided with a safety gas cock, which enables the output to be regulated from maximum to minimum. Safety ensured by a thermocouple kept active by the flame of the pilot burner.

Surface grids and burners made of alkali, acid and fire resistant **matt RAAF enamelled cast iron**.

Surface grids placed on moulded surfaces with rounded edges for easy cleaning and avoiding liquid overflowing.

Stainless steel **moulded trays** with rounded edges, placed under the burners for easy cleaning.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Tested with natural gas or LPG, according to the user's needs.

Accessories available **on demand**.



## TECHNICAL SPECIFICATIONS

**Width:** 400 mm  
**Depth:** 700 mm  
**Height:** 265 mm  
**Weight:** 22 kg  
**Volume:** 0.21 m<sup>3</sup>  
**Gas power:** 14.70 kW




## K7GCUP05TT

CUCINA GAS 2 FUOCHI DA BANCO / FOURNEAU À GAZ 2 BRÛLEURS À POSER / TOP GAS RANGE 2 BURNERS TABLE TOP / GASHERD 2 KOCHSTELLEN TISCHGERÄT / COCINAS A GAS 2 QUEMADORES DE BANCO / ГАЗОВАЯ ПЛИТА С 2 КОНФОРКАМИ НАСТОЛЬНАЯ

### DATI TECNICI / CARACTERISTIQUES TECHNIQUES / TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

|                                                                                       |               |                 |
|---------------------------------------------------------------------------------------|---------------|-----------------|
| Dimensioni / Dimensions / Dimensions / Maße / Medidas / Размеры                       | [мм]          | 400x700x265     |
| Gas / Gaz / Gas / Gas / Газ<br>(B)                                                    | [Kw] - [кВт]  | 14,7            |
| Tipo / Type / Type / Typ / Тип<br>(A)                                                 |               | A1              |
| GPL/LPG / Сжиженный нефтяной газ<br>(G30)<br>(D)                                      | [Kg/h] [кг/ч] | 0,915           |
| Metano / Methane / Natural gas / Erdgas / Метан<br>(G20)<br>(C)                       | [m3/h] [м3/ч] | 1,556           |
| Aria / Air / Luft / Aire / Воздух                                                     | [m3/h] [м3/ч] | 29,4            |
| Racc. Gas / Racc. Gaz / Gas fitting / Gasanschluss / Empalme gas / Газовое соединение |               | UNI-ISO 7/1 R ½ |
| Bruciatore / Bruleur / Burner / Brenner/Quegador / Горелка<br>(C)                     | [kW] [кВт]    | 1 x 6,2         |
| Bruciatore / Bruleur / Burner / Brenner/Quegador / Горелка<br>(D)                     | [kW] [кВт]    | 1 x 8,5         |



G = Gas / Gaz / Gas / Gas / Gas / raz

## Standard

Bacinella fuochi inox - Bacs brûleurs inox - Stainless steel burner tray - Auffangbehälter aus Edelstahl - Bandejas quemadores en inox – Конфорки из нержавеющей стали