

# K7GPL10VVC

MOVABLE LAVA-STONE GRILL 1 UNIT FOR MEAT + OPEN CABINET



## PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges.

Heating obtained through a **five-branch stabilized flame burner**. Equipped with a safety gas cock that allows the power to be regulated **from maximum to minimum**. Safety ensured by a thermocouple kept active by the pilot burner flame.

**Standard equipped with movable stainless steel meat grill**. Food support grill that can be **positioned at two different levels**, even during service.

Sloping surface facing the fat drain hole, connected to a large capacity container under the cooking surface.

**Standard equipped** with two small drawers to collect dust from burning lava stone.

**Standard equipped** with one 5 kg lava bag.

Moulded worktop made of AISI 304 stainless steel with rounded edges for easy cleaning.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Tested with natural gas or LPG, according to the user's needs.

**Height-adjustable** stainless steel legs.

Accessories available **on demand**.



## TECHNICAL SPECIFICATIONS

**Width:** 800 mm  
**Depth:** 700 mm  
**Height:** 850 mm  
**Volume:** 18.00 m<sup>3</sup>




# K7GPL10VVC

GRIGLIE MOBILI PIETRA LAVICA MODULO PER CARNE + VANO APERTO - GRILLES MOBILES PIERRE VOLCANIQUE MODULE POUR VIANDE + BAIE LIBRE OUVERTE - MOVABLE LAVASTONE GRILLS UNIT FOR MEAT + OPEN CABINET - BEWEGLICHE LAVASTEINGRILLS MODUL FÜR FLEISCH + OFFENER UNTERSCHRANK - PARRILLAS MOVILES DE PIEDRA VOLCANICA MÓDULO PARA CARNE + BASE ABIERTA - ПЕРЕДВИЖНЫЕ ЛАВОВЫЕ ГРИЛИ НАСТОЛЬНЫ МОДУЛЬ ДЛЯ МЯСА + ОТКРЫТЫ ШКАФ

## DATI TECNICI / CARACTERISTIQUES TECHNIQUES / TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Dimensioni / Dimensions / Dimensions / Maße / Medidas / Размеры	[мм]	800x700x850
Gas / Gaz / Gas / Gas / Газ (B)	[Kw] - [кВт]	18
Tipo / Type / Type / Typ / Тип (A)		A1
GPL/LPG / Сжиженный нефтяной газ (G30) (D)	[Kg/h] [кг/ч]	1,419
Metano / Methane / Natural gas / Erdgas / Метан (G20) (C)	[m3/h] [м3/ч]	1,904
Aria / Air / Luft / Aire / Воздух	[m3/h] [м3/ч]	36
Racc. Gas / Racc. Gaz / Gas fitting / Gasanschluss / Empalme gas / Газовое соединение		UNI-ISO 7/1 R ½
Brucciatore / Bruleur / Burner / Brenner/Quegador / Горелка	[kW] [кВт]	1 x 18
Lava / Pierre volcanique / Lava stone / Lavastein / Piedra lavica / Лавовый камень	[Kg] Лава	9

18 kw



G = Gas / Gaz / Gas / Gas / Gas / газ



---

## Standard

Griglia carne inox mobile - Grille mobile inox viande- Stainless steel movable grate for meat -  
- Beweglicher Fleischrost aus Edelstahl - Rejilla móvil de acero inox para carne - Передвижная решетка  
для мяса, нержавеющей сталь

